# Foaming Satellite





## Reliable, Serviceable, and Long-Term Value

This foam-only unit is built for reliability and easy servicing, making it a long-lasting option that reduces downtime and replacement costs compared to other brands. It works with all pressures, so it can be added to your existing cleaning setup with very little extra investment.

## Australian-Made for Fast Support

Because it's made and supported in Australia, you get easy access to maintenance. We also offer onsite support, service plans, installation help, and in-person training. giving you a level of support that sets us apart from competitors.


**Low Pressure 4~20bar** | **Med Pressure 20~40bar** | **High Pressure 40~150bar**




## Tamper Proof

**Chemical suction hose security -** Stainless compression gland prevents the chemical suction hose from being pulled out. This prevents the insert that controls the injectors titration from be removed and results in an improved lifespan between services.

**Tamper proof cover -** A cover that requires tooling to remove helps prevent unauthorized access and subsequent altering of air pressure which will result in lower quality foam. This feature makes this foaming satellite truly set and forget.




## Identification

**Number Plate -** A number plate allows easy identification for an in-house or external maintenance plan. This feature means keeping records and problem solving is made much easier.

**Colour Coding -** Different colours allow for separating chemicals that are potentially dangerous when mixed or assignment to different areas on your site.

**Ph 1300 530 414**
**www.europumps.com.au**

# Low Pressure Foaming Satellite

## Ideal Starter System, Low Cost, Low Pressure

**With easy integration and little requirements to run, the Euro Pumps Foaming Satellite is a simple and effective way to foam your factory. It's best suited to basic foaming applications that are lower to reach such as walls, floors and factory equipment. If simplicity and ease of installation is your priority, this foaming satellite is simply unmatched in performance.**




**Low Pressure 4~20 bar**

### Applications:


- Walls
- Floors
- Factory Equipment
- Boot Rooms
- Wash Up
- Tubs and Trays
- Amenities

Visit our website to view our latest videos and PDF downloads.

### Technical Specifications

| | |
|---|---|
| Water Inlet Size: | ½ " BSP |
| Water Outlet Size: | ½ " BSP |
| Max Temp: | 90 °C |
| Air Inlet Size: | 6mm |
| Water Pressure Range: | .4~20 bar |
| Air Pressure Range: | 1~6 bar |

### Size information




**Order Codes**

| | |
|---|---|
| Foaming Satellite, Blue Lable, Med Pressure | EP-SRT-FS-HP-B |
| Foaming Satellite, Yellow Lable, Med Pressure | EP-SRT-FS-HP-Y |
| Foaming Satellite, Red Lable, Med Pressure | EP-SRT-FS-HP-R |

### Australian-Made for Fast Support

Because it's made and supported in Australia, you get fast and easy access to maintenance. We also offer onsite support, service plans, installation, and in-person training, giving you a level of support that sets us apart from competitors.

### Service and Warranty

We offer up to a 7-year warranty plan on all Euro Pumps Equipment. This feature us what truly separates our product from the rest of our competition and makes it the best long term investment money can buy.

### Rental Plans Available

When getting audit ready or transitioning into a new factory, a Euro Pumps rental plan could make economic sense in the short term. With guaranteed service and maitenence included, renting can help be a great short term option to perfect your cleaning cycle.

**Ph 1300 530 414**
**www.europumps.com.au**

# Med Pressure Foaming Satellite

## Ideal Replacement For Boosted System

When an already existing boosted system is present, Euro Pumps Medium Pressure Foaming Satellite is simple to integrate in your factory. Suited to higher pressure then mains it has high reach and faster coverage allowing to reach short ceilings and higher walls. If your factory has an already existing booster water system or is planning to, this foaming satellite makes a simple and cost-effective solution.

## Applications:


- High Walls
- Short Ceilings
- Factory Equipment
- Floor
- Wash Up
- Tubs and Trays

Visit our website to view our latest videos and PDF downloads.

## Technical Specifications

| | |
|---|---|
| Water Inlet Size: | ½ " BSP |
| Water Outlet Size: | ½ " BSP |
| Max Temp: | 90 °C |
| Air Inlet Size: | 6mm |
| Water Pressure Range: | 20~40 bar |
| Air Pressure Range: | 1~6 bar |

## Size information







**Med Pressure 20~40bar**

**Order Codes**

| | |
|---|---|
| Foaming Satellite, Blue Lable, Med Pressure | EP-SRT-FS-MP-B |
| Foaming Satellite, Yellow Lable, Med Pressure | EP-SRT-FS-MP-Y |
| Foaming Satellite, Red Lable, Med Pressure | EP-SRT-FS-MP-R |

## Australian-Made for Fast Support

Because it's made and supported in Australia, you get fast and easy access to maintenance. We also offer onsite support, service plans, installation, and in-person training, giving you a level of support that sets us apart from competitors.

## Service and Warranty

We offer up to a 7-year warranty plan on all Euro Pumps Equipment. This feature us what truly separates our product from the rest of our competition and makes it the best long term investment money can buy.

## Rental Plans Available

When getting audit ready or transitioning into a new factory, a Euro Pumps rental plan could make economic sense in the short term. With guaranteed service and maitenence included, renting can help be a great short term option to perfect your cleaning cycle.

**Ph 1300 530 414**
**www.europumps.com.au**

# High Pressure Foaming Satellite

## Ideal For Demanding and Critical Applications

Specialised for high pressure applications, the Euro Pumps High Pressure Foaming Satellite brings unmatched foaming reach and coverage with or without compressed air. Its higher-pressure rating allows it to be used for hard-to-reach areas such a silos and high ceilings. If have speclised cleaning requirements or are planning to install Euro Pumps high pressure equipment, this foaming satellite makes for a great solution.

### Applications:


- High Walls
- High Ceilings
- Silos
- Roofs
- Trucks
- No Compressed Air Required

Visit our website to view our latest videos and PDF downloads.

### Technical Specifications

| | |
|---|---|
| *Water Inlet Size:* | *½ " BSP* |
| *Water Outlet Size:* | *½ " BSP* |
| *Max Temp:* | *90 °C* |
| *Air Inlet Size:* | *6mm* |
| *Water Pressure Range:* | *40~150 bar* |
| *Air Pressure Range:* | *1~6 bar* |

### Size information







**High Pressure 40~150bar**

**Order Codes**

| | |
|---|---|
| Foaming Satellite, Blue Lable, Low Pressure | EP-SRT-FS-LP-B |
| Foaming Satellite, Yellow Lable, Low Pressure | EP-SRT-FS-LP-Y |
| Foaming Satellite, Red Lable, Low Pressure | EP-SRT-FS-LP-R |

### Australian-Made for Fast Support

Because it's made and supported in Australia, you get fast and easy access to maintenance. We also offer onsite support, service plans, installation, and in-person training, giving you a level of support that sets us apart from competitors.

### Service and Warranty

We offer up to a 7-year warranty plan on all Euro Pumps Equipment. This feature us what truly separates our product from the rest of our competition and makes it the best long term investment money can buy.

### Rental Plans Available

When getting audit ready or transitioning into a new factory, a Euro Pumps rental plan could make economic sense in the short term. With guaranteed service and maitenence included, renting can help be a great short term option to perfect your cleaning cycle.

**Ph 1300 530 414**
**www.europumps.com.au**