Wall Mount Cleaning Station



Reliable, Serviceable, and Long-Term Value

Euro Pumps line of cleaning stations offers a versatile solution for any industrial cleaning jobs. Designed for long term reliability with its plug and play nature allowing for simple maintenance procedures further enhancing its value.

Australian-Made for Fast Support

Because it's made and supported in Australia, you get easy access to maintenance. We also offer on-site support, service plans, installation help, and in-person training, giving you a level of support that sets us apart from competitors.

JR Wall Mount
20~30 L/min - 10~35 bar

JR XR Wall Mount
30~40 L/min - 10~35 bar

SR Wall Mount
40~70 L/min - 20~110 bar

SR XR Wall Mount
40~70 L/min - 20~135 bar



Ph 1300 530 414
www.europumps.com.au




Integrated HMI

Euro Pumps Wall Mount cleaning stations utilises a human machine interface to operate. Its modern display allows for easy use while being able to select different running modes.



Colour Coded Nozzles

These machines utilise different nozzles for each running mode. These modes use different flow rates and are colour coded. The colour coding reduces language issues and makes training new operators easier.



Tamper Proof - Chemical suction hose security

Stainless steel compression gland prevents the chemical suction hose from being pulled out. This prevents the insert that controls the injectors titration from be removed and results in an improved lifespan between services.




Tamper proof - Cover

A cover that requires tooling to remove helps prevent unauthorized access and tampering which helps this product last longer and be more reliable.



Identification Number Plate:

A number plate allows easy identification for an in-house or external maintenance plan. This feature means keeping records and problem solving is made much easier.



Flexible Options

The Euro Pumps Wall Mount has options for the desired number of chemical injection chambers to suit your needs. Options range from single, double, and triple injection points. This allows for potential savings if the chemicals you use are safe to mix or in the contrary gives an all-in-one package that separates hazardous chemicals. This paired with the ability to turn the compressed air on and off to allow foaming with sanitiser makes this satellite a great flexible option for whatever your requirements may be.

Ph 1300 530 414
www.europumps.com.au

EURO PUMPS

JR Wall Mount

Ideal Starter System, Low Cost, Mains Pressure

The Jr Wall Mount offers an ideal entry level mobile cleaning platform which is comparable to existing machines on the market. Its advantages start with its rugged design built for the harshest of environments and high-performance foaming without compressed air.

Applications:


- Walls
- Floors
- Factory Equipment
- Boot Rooms
- Wash Up
- Tubs and Trays
- Amenities

Visit our website to view our latest videos and PDF downloads.

Technical Specifications

Water Inlet Size	3/4“ BSP
Water Outlet Size	1/2“ Quick Connect
Max Temp	95°C
Water Pressure Range	10~35 bar
Water Flow Range	20~40 L/min
Power consumption	4 KW

Size information





JR Wall Mount
20~30 L/min - 10~35 bar

Order Codes

SR Wall Mount 1 Chemical Brass	SRT-JR-W-BR-1
SR Wall Mount 2 Chemical Brass	SRT-JR-W-BR-2
SR Wall Mount 1 Chemical Stainless Steel	SRT-JR-W-SS-1
SR Wall Mount 2 Chemical Stainless Steel	SRT-JR-W-SS-2

Australian-Made for Fast Support

Because it’s made and supported in Australia, you get fast and easy access to maintenance. We also offer onsite support, service plans, installation, and in-person training, giving you a level of support that sets us apart from competitors.

Service and Warranty

We offer up to a 7-year warranty plan on all Euro Pumps Equipment. This feature us what truly separates our product from the rest of our competition and makes it the best long term investment money can buy.

Rental Plans Available

When getting audit ready or transitioning into a new factory, a Euro Pumps rental plan could make economic sense in the short term. With guaranteed service and maitenence included, renting can help be a great short term option to perfect your cleaning cycle.

Ph 1300 530 414
www.europumps.com.au

JR Wall Mount XR

Ideal Starter System, Low Cost, Low to Medium Pressure

The JR Wall Mount XR offers an extended functionality on top of the JR. It's an ideal entry level mobile cleaning platform which is easily comparable to existing platforms with the added benefit of being able to perform specific cleaning tasks such as but not limited to drain cleaning and fogging. Its rugged design is built for the harshest of environments and allows for high-performance foaming without compressed air.



JR Wall Mount XR
30~40 L/min - 10~35 bar

Applications:

- Walls
- Floors
- Factory Equipment
- Boot Rooms
- Wash Up
- Tubs and Trays
- Drains

Visit our website to view our latest videos and PDF downloads.

Technical Specifications

Water Inlet Size	3/4" BSP
Water Outlet Size	1/2" Quick Connect
Max Temp	95°C
Water Pressure Range	10~35 bar
Water Flow Range	30~40 L/min
Power consumption	5.5 KW

Order Codes

JR Wall Mount XR - 1 Chemical Brass	SRT-JR-XR-W-BR-1
JR Wall Mount XR - 2 Chemical Brass	SRT-JR-XR-W-BR-2
JR Wall Mount XR - 1 Chemical Stainless Steel	SRT-JR-XR-W-SS-1
JR Wall Mount XR - 2 Chemical Stainless Steel	SRT-JR-XR-W-SS-2

Australian-Made for Fast Support

Because it's made and supported in Australia, you get fast and easy access to maintenance. We also offer onsite support, service plans, installation, and in-person training, giving you a level of support that sets us apart from competitors.


Service and Warranty

We offer up to a 7-year warranty plan on all Euro Pumps Equipment. This feature us what truly separates our product from the rest of our competition and makes it the best long term investment money can buy.

Rental Plans Available

When getting audit ready or transitioning into a new factory, a Euro Pumps rental plan could make economic sense in the short term. With guaranteed service and maitenence included, renting can help be a great short term option to perfect your cleaning cycle.

Size information



Ph 1300 530 414
www.europumps.com.au

SR Wall Mount

Ideal For Demanding and Critical Applications

The SR Wall Mount offers unmatched cleaning performance when compared to what is currently on the market. If your goal is to reduce labour or shorten your cleaning window, this machine will do that. On top of improving cleaning metrics, its rugged design is built for the harshest of environments and allows for high-performance foaming without compressed air.

Applications:


- High Walls
- High Ceilings
- Cook Surfaces
- Roofs
- Trucks
- Drain Cleaning
- Fogging

Visit our website to view our latest videos and PDF downloads.

Technical Specifications

Water Inlet Size	1“ Camlock
Water Outlet Size	½“ Quickconnect
Max Temp	95°C
Water Pressure Range	20~110 bar
Water Flow Range	40~70 L/min
Power consumption	7.5 KW

Size information





SR Wall Mount
40~70 L/min - 20~110 bar

Order Codes

SR Wall Mount - 1 Chemical Brass	SRT-SR-W-BR-1
SR Wall Mount - 2 Chemical Brass	SRT-SR-W-BR-2
SR Wall Mount - 1 Chemical Stainless Steel	SRT-SR-W-SS-1
SR Wall Mount - 2 Chemical Stainless Steel	SRT-SR-W-SS-2

Australian-Made for Fast Support

Because it’s made and supported in Australia, you get fast and easy access to maintenance. We also offer onsite support, service plans, installation, and in-person training, giving you a level of support that sets us apart from competitors.

Service and Warranty

We offer up to a 7-year warranty plan on all Euro Pumps Equipment. This feature us what truly separates our product from the rest of our competition and makes it the best long term investment money can buy.

Rental Plans Available

When getting audit ready or transitioning into a new factory, a Euro Pumps rental plan could make economic sense in the short term. With guaranteed service and maitenence included, renting can help be a great short term option to perfect your cleaning cycle.

Ph 1300 530 414
www.europumps.com.au

SR Wall Mount XR

Ideal For Critical Applications and Specific Cleaning Tasks

The SR Wall Mount XR offers an extended performance on top of the SR platform. If your goal is to reduce labour or shorten your cleaning window, this machine will do that. On top of improving cleaning metrics, its rugged design is built for the harshest of environments and allows for high-performance foaming without compressed air.

Applications:


- High Walls
- High Ceilings
- Silos
- Roofs
- Trucks
- Drain Cleaning
- Fogging

Visit our website to view our latest videos and PDF downloads.

Technical Specifications

Water Inlet Size	1“ Camlock
Water Outlet Size	½“ Quickconnect
Max Temp	95°C
Water Pressure Range	20~135 bar
Water Flow Range	40~70 L/min
Power consumption	11 KW

Size information





SR Wall Mount XR
40~70 L/min - 20~135 bar

Order Codes

SR Wall Mount - 1 Chemical Brass	SRT-SR-XR-W-BR-1
SR Wall Mount - 2 Chemical Brass	SRT-SR-XR-W-BR-2
SR Wall Mount - 1 Chemical Stainless Steel	SRT-SR-XR-W-SS-1
SR Wall Mount - 2 Chemical Stainless Steel	SRT-SR-XR-W-SS-2

Australian-Made for Fast Support

Because it’s made and supported in Australia, you get fast and easy access to maintenance. We also offer onsite support, service plans, installation, and in-person training, giving you a level of support that sets us apart from competitors.

Service and Warranty

We offer up to a 7-year warranty plan on all Euro Pumps Equipment. This feature us what truly separates our product from the rest of our competition and makes it the best long term investment money can buy.

Rental Plans Available

When getting audit ready or transitioning into a new factory, a Euro Pumps rental plan could make economic sense in the short term. With guaranteed service and maitenence included, renting can help be a great short term option to perfect your cleaning cycle.

Ph 1300 530 414
www.europumps.com.au