

EP50-75.SRT



Mobile or Wall Mount Cleaning Platform



The Most Advanced, Flexible Cleaning Machine In The World

Rinse, foam and sanitise at higher temperatures with an Intelligent, high-flow rate and variable pressure unit



Calgiene







A Complete Cleaning Solution

It washes, foams, & sanitises.



Add Drain Cleaners, Floor Cleaners, Spray tanks Chimneys & Chute Tools

Supplied Ready To Work

Your Euro Pumps EP50-75.SRT mobile cleaning platform arrives ready to go to work with all hoses and attachments.

- 25m Hose with ½" BSP male tails and quick release fittings
- · Ball valve or trigger with swivel
- · First rinse, second rinse and direct jet nozzle with male quick release
- · Suttner ST-76 Foam Blaster with male quick release

Phase

TEMPERATURE



Mobile Or Wall Mount



OPTIONAL EXTRAS

- · Triple-turbo-lance with male quick release
- Floor Cleaners
- · Drain Hose



When ordering please specify your choice of 3-phase plug



A smarter cleaning solution



Fan Cooled to Run Hotter Longer

Euro Pumps allows you to clean on demand anywhere in the plant, inside or outside. It will work reliably at temperatures exceeding 85°C.





Perfectly balanced, move with one hand

It's perfectly balanced for easy movement around the site.



Built-in protection for longer life

The EP50-75.SRT Pump system PLC monitors pump condition for asset protection and long platform life.



Wall Mount Option

Euro Pumps SRT Satellite is also available in a wall mount with built-in programs that allow you to select hot and cold water supply, via electronic solenoid control



Sensors & Information ·

The sensors that make the Euro Pumps EP50-75.SRT the smarter platform allowing you to clean faster, with better flow and at higher temperatures.

- · Flow sensor
- · Pump pressure
- · Oil pressure
- Water temperature
- Auto Phase Rotation
- E-Mode available on request





About Euro Pumps

Euro Pumps has 20+ years of hands-on export quality cleaning experience sets us apart from our competitors and provides us with a unique appreciation of the challenge's that managers face. This experience enables our engineers to design solutions that clean to export standards, while optimising speed, water usage, and chemical savings. Euro Pumps focus is on improving hygiene, increasing productivity and reducing cleaning time to allow for additional production.


Specifications


Water

Output pressure	20 - 100	Bar	290 - 1450.3	PSI
Min. inlet pressure	1	Bar	14.5	PSI
Max. inlet pressure	10	Bar	145	PSI
Max. water consumption	50	Ltr/min	. 13.2	gal/min.
Inlet dimension	3/4"	Inch	3/4"	Inch

Power

wer				
Power	14	AMPS	12	AMPS
Frequency	50	Hz	60	Hz
Motor	7. 5	kW	10	HP
Weight	154	Kg	339.5	lbs
Dimensions (LxWxH)		1250(l) x 680(w) x 1000(h)mm		
		49.2(I) x 26.8(w) x 36.7(h)inches		





All products are in a continuous state of improvement in an ongoing effort to improve the quality and reliability of our products, services or manufacturing processes. This information is intended as informational purposes only and is subject to change without notice.

^{*} Errors and omissions excepted (E&OE)



Ph 0409 123 850 Ph 1300 530 414

4/10A Quindus St Beenleigh, Australia QLD 4207



Australian made, designed and supported



Your unit will wash, foam, sanitise. Euro Pumps is an Australian based business, that is focussed on after sales service.

we use them every day in our own

contract cleaning. So we can ensure that your machine will work the way

we say it will.



Euro Pumps starts with just one Mission; to create the best purpose designed and built food production cleaning equipment anywhere in the world. We take enormous pride in the fact that we don't just build products, we use them in real-world applications every day, and every lesson learnt is feedback into the design and improvement of our products.